


BROWNING AUTO. RIFLEMOBEL OF 1918. 57-13-14-MAYIT,1918. REVISIONS,0

2 NCHES.



DR'G PERTAINS TO

REVISIONS

BROWNING

ALMFORMATIC RIFLE

MODEL OF 1918.

BUFFER DETAILS.

FRANKFORD SENAL

BUBANTTED: LINKPH.


LIEUT, MARINE MATERIAL LA.


EXAMINED:


GLASS 51


BROWNING AUTO RIFLE MODEL OF 1918-51-13-14-MAYIT,1918. REVISIONS,1


D
















### AND SHEPH	ΣΟΣ/	2.3 4	5	6 7 8	g	10 11 12	13	14 15 16
Services of the services of th		NUMBER OLAS		NUMBER NUMBER OLASS OLASS	ARTICLE.	MINRA MINRA MINRE MEGD CLASS ONISION	ARTICLE.	WINNER WINNER WEGD. CLASS
Service Control Contro	2 BOLT, 3 BOLT GUIDE, 4 BOLT GUIDE SPRING,	10C 1 51 13 10. 15D 1 51 13 15 10E 1 51 13 10	GUN SLING SWIVEL	268 Z 51 /3 Z6 26A Z 51 /3 Z6				
AND SECURITY OF THE PROPERTY O	6 BOLT LOCK PIN, 7 BOLT SUPPORT-LEFT,	9A 1 51 13 9 . 22N P 51 13 22 10A 1 51 13 10	HAMMER, HAMMER PIN,				· · · · · · · · · · · · · · · · · · ·	
Section 19 1	9 BOLT SUPPORT RIVET, 10 BUFFER, 11 BUFFER FRICTION CONE,	14C 4 51 13 14						
Service Servic	BUFFER NUT,  BUFFER SPRING,  BUFFER TUBE,	14E 1 51 13 14 148 1 51 13 14	LINK, LINK PIN,	The second contract of				
	16 BUTT PLATE, 17 BUTT PLATE SCREW, 18 BUTT PLATE STRAP SCREW.	⊗     I9A     I     5I     I3     I9       ⊗     25B     I     5I     I3     25       ⊕     25C     I     5I     I3     25						
Set of the control of	BUTT PLATE TRAP AXIS PIN, BUTT PLATE TRAP SPRING, BUTT PLATE TRAP SPRING SCREW,	+ 220 / 51 13 22 + 23H / 51 13 23 \(\overline{	MAGAZINE BASE,  MAGAZINE GATCH,  MAGAZINE CATCH, PIN	21A 1 51 13 21 13C 1 51 13 13				
Service Scape    Section	BUTT SWIVEL BRACKET SCREW,  BUTT STOCK,	⊗     198     1     51     13     19       ⊗     25A     2     51     13     25       7A     1     51     13     7	MAGAZINE CATCH SPRING, MAGAZINE FOLLOWER, MAGAZINE RELEASE,	24C   51  3 24 21C   51  3 21 13B   51  3  3				
Construction   Cons	C 0.1000 -000 - 000	+ 19C 1 51 13 19 19E 2 51 13 19	The state of the s	218 1 51 13 21				
CALLES OF COMMENTS.  CALLES OF	CHANGE LEVER,	20F / 5/ /3 20	OPERATING HANDLE	15E 1 51 13 15				
SECURITY ON THE PROPERTY OF TH	CHANGE LEVER SPRING,  CHANGE LEVER STOP,  CHANGE LEVER STOP SPRING,  CHANGE LEVER STOP SPRING,	208 1 51-13 20	OPERATING HANDLE PLUNGER PIN,	22G   51   13   22 22A   1. 51   13   22 24D   51   13   24				
Section   Sect	CONNECTOR,  CONNECTOR STOP,	200 1 51 13 20 20H 1 51 13 20 22H 1 51 13 22						
Section   Sect	COUNTER RECOIL SPRING,	240 1 51 13 24	REAR SIGHT AXIS SCREW,  REAR SIGHT AXIS SCREW NUT,  REAR SIGHT BASE.	⊗ 25H / 51 /3 25				
EXTENDED SCHOOLS STANING.    M	EJECTOR,	20A 1 51 13 20	REAR SIGHT SLIDE CATCH,  REAR SIGHT SLIDE CATCH, AVIS PIN	<ul> <li>⊕ 178</li> <li>  51</li> <li>  13</li> <li>  17</li> <li>  51</li> <li>  13</li> <li>  17</li> <li>  170</li> <li>  51</li> <li>  13</li> <li>  17</li> <li>  170</li> <li>  51</li> <li>  13</li> <li>  17</li> </ul>				
Color   Street   Color   Col	EXTRACTOR,	20C / 51 /3 20 24E / 51 /3 24 15A / 51 /3 /5	REAR SIGHT SLIDE CATCH SPRING, REAR SIGHT SLIDE STOP SCREW, REAR SIGHT SPRING.	+ 23E   51   13   23   + 25M   51   13   25   + 230   51   13   23				
CASH FIDES			RECEIVER,	25G / 51 /3 25 5A / 51 /3 5 23A / 51 /3 23				
FORLAMM SCIUCHEDN, 08 1 9 8 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	FLASH HIDER.	158 / 5/ 13 15	RECOIL SPRING GUIDE HEAD,	166 / 51 /3 /6				
FRONT SIGHT BLACK.  180   S   S   S   S   S   S   S   S   S	FOREARM,  FOREARM ESCUTCHEON,  FOREARM SCREW-LONG	8A 1 51 13 8 8B 1 51 13 8 25F 1 51 13 25	SEAR.	128 1 51 13-712				A
FRONT SHIVE BRACKET, 60   51   13   16   18   15   18   18   18   18   18   18	FRONT SIGHT BASE,  FRONT SIGHT BLADE,  FRONT SIGHT BLOCK BAND FIXING KEY	+ 188 + 51 13 18	SEAR PIN, SEAR SPRING	12C   51   13   12     22C 9   51   13   22     23F   51   13   23		· / / / / / / / / / / / / / / / / / / /		
GAS CYLINDER, GAS CYLINDER LOCK, GAS CYLINDER TUBE, GAS CYLINDER TUBE BRACKET, GAS CYLINDER TUBE BRACK		+ 22F 1 51 73 22 1	SLIDE,					
6AS CYLINDER TUBE, 6AS CYLINDER TUBE RETAINING PIN, 728   51   13   16   1786GER, 728   75   13   16   1786GER, 738   75   17   17   17   17   17   74   75   75   75   75   75   75   75   75					* SAME AS U.S. RIFLE MOD. OF 1897.		The second secon	
GAS CYLINDER TUBE RETAINING PIN HANDLE, GAS CYLINDER TUBE RETAINING PIN HANDLE, GAS CYLINDER TUBE RETAINING PIN KEY, GAS PISTON, BUSHING, GAS PISTON, BUSHING, GAS PISTON PLUG, GAS PISTON RETAINING PIN, GAS PISTON PING PING PING PING PING PING PING PIN	GAS CYLINDER LOCK,  GAS CYLINDER TUBE,  GAS CYLINDER TUBE BOACKET	168 / 51 13 16 11A / 51, 13 11	TRIGGER	206 / 51 /3 20 12A / 51 /3 /2	* SAME AS U.S. RIFLE MOD. OF 1903.	CLSS DV DRG / JAN.25,1915	AUTOMATIC R	IFLE 918.
GAS PISTON, BUSHING, GAS PISTON PLUG, GAS PISTON RETAINING PIN, GAS PI	GAS CYLINDER TUBE RETAINING PIN,	228 -1 51 13 22 1 K 1 51 13 16	TRIGGER GUARD RETAINING PIN HANDLE,		+ SAME AS MODEL ENFIELD.			275. MAY 17, 1918.
GAS PISTON RETAINING PIN,	GAS PISTON,  GAS PISTON, BUSHING,  GAS PISTON PILIE	16 1 51 13 16 10 1 51 13 11 1 6F 1 51 13 16		13/1 / 3/ 13 /3	\$ SAME AS TRIGGER PIN.			PHILA. PA. WES.
GIA LILE	GAS PISTON RETAINING PIN,	22Q / 51 13 16 22Q / 51 13 22						ETCOLO NEL DENETHE TO SA

























GUN SLING SWIVEL LINK. FOR B.A.R. M. OF 18. 51-13-26. MAY 5, 20. REV.



GUN SLING SWIVEL 26B TWO - STEEL. TRANSFERRED FROM 51-13-19



GUN SLING SWIVEL LINK.
TRANSFERRED FROM SI-13-19.

GUN SLING SWIVEL LINK FOR B.A.R. M. OF '18. 51-13-26-MAY 5, 20. REV.

DRAWING
PERTANS TO

REVISIONS

GUN SLING SWIVEL LINK
FOR BROWNING AUTORIFLE
MODEL OF 1918.

ASSEMBLY & DETAILS.

M

GAPT. ORDNANCE DEPARTMENT USA
APPROVED BY GROWNE DEPARTMENT USA
CAPT. ORDNANCE DEPARTMENT USA
CAPT.

GUN SLING SWIVEL LINK. FOR B.A.R. M. OF '18. 51-13-26. MAY 5 '20. REV.

D

A CONTRACTOR OF THE PROPERTY O		to high and				<b>MANUSCONE</b>		
Prox.	. 2	3	14	5	6.	7		
				14 -11	-			PHYSICAL
		- 00	9.0 .		. (0.0			YP!
LIST OF DRAWINGS	SER	WIN	WIN	ING	JIN SER	YIM ER		T.5. 3
4	PAN	NOW.	P.A.	ZAN.	- 24 N	NAY IMB		RED
	NO.	4.	05.	38	20 %	10 20		YP T.5 S EL-2 RED HT, T BR
I LIST OF EQUIPMENT	27-22-119	A= 2/738	A- 19/26	C- 9469	0 005			
2 LIST OF DRAWINGS	51-13-27	A- 2/739	B- 19627	C- 9070	0- 23300	E- 274		SCL. C.C.
3 PLIST OF PARTS	51-13-27A	A- 21740	B- 1962B	C- 9071	D- 23301			C.C.
† LISTOF PARTS - 2ND SHEET  5 LIST OF PARTS - REAR SIGHT MISIS	5/-/3-278	A- 2/74/	B- 19629	C- 9072	D- 23302	C. Takalan		
6	C- 909/A	A- 21743						
7 *LONGITUMAL SECTION	51-13-28	A- 22200	B- 19632	C- 9076				
9 ASSEMBLY - LEFT SIDE	51-13-29	CONTRACTOR OF THE PERSON NAMED IN	THE RESERVE OF THE PARTY OF THE			- 17		
10 ASSEMBY - RIGHT SIDE	51-13-31							
11 PLAN V.SW	51-13-32	A- 22204	B- 19636	C- 9090				
13 HEAT TOTAL TOTA		A- 22205	The second second second second			- 1		
14 - HEAT REATMENT - 2ND SHEET	27-79-3A			The second secon		day in		
15 HEAT REATMENT - 3RD SHEET	27-79-38	A- 22208	8- 19643			-1A-	**************************************	
16 HEAT TOEATMENT - REAR SIGHT MISIS	27- 79-6				- 1			
18 ASSEMBLY, BARREL	D- 8769	A- 22210 A- 22211	The second secon	7				
19 ASSEMBLY, BOLT	B- 19695	A- 222/2	B- 19647					
20 ASSEMBLY, BUTT PLATE 21 ASSEMBLY, BUTT SWIVEL	B- 19696 . B- 19682							
22 ASSEMBLY, CHANGE LEVER SPRING	B- 19681	The second secon		1000				
23 ASSEMBLY, CHANGE LEVER STOP SPRING	B- 19697	A- 222/6	8- 19653		The second	1		
24 ASSEMBLY, FOREARM 25	C- 9095		The second secon		J-75			
26 ASSEMBLY, FRONT SWIVEL	8- 19683	A- 222/8 A- 222/9				The same of the sa		
ASSEMBLY, GAS CYLINDER TUBE RETAINING PIN	8- 19679	A- 22221	B- 19660					
28 ASSEMBLY, GUARD GROUP 29 ASSEMBLY, GUN SLING SWIVEL LINK	D- 877/ B- 19648	A- 22222 A- 22223	The second name of the second name of		4			
30 ASSEMBLY, MAGAZINE	B- 19698			The state of the s		AND THE REAL PROPERTY.		
3/ ASSEMBLY, RECEIVER	D= 8770	A- 22225	B- 19674	Cy. J	1.2			
33 ASSEMBLY, RECOIL SPRING GUIDE	B- 19677	A- 22226	B- 19675	Market St.	1.00	1		
34 ASSEMBLY, SEAR CARRIER -	B- 19676			The state of the s	, grinanig a	-4, 5		
35 ASSEMBLY, SLIDE 36 ASSEMBLY, TRIGGER	The second secon	A - 22229				v. 7-0 g		
37 ASSEMBLY, TRIGGER GUARD RETAINING PIN	B- 19684 .	The second secon		* 10 m/3 ± 10				
30 ASSEMBLY BEAD SIGHT MING	C- 9091	A- 22232			Burney Too In	Charles		
40		A = 22233				( You		
4/	100	A- 22234 A- 22235			1			
43 LIST OF SPECIFICATIONS:		A- 22236			Ukali.	J. 1114		
44 MANGANESE BRONZE RODS, BARS, SHAPES, AND PLATES	57- 166	A- 22237 A- 22238	1 100			100		
45 MUSIC WIRE	48- 18		L 1			LATE-		BROWNING AUTOMATIC RIFLE
46 SPRING, STEEL WIRE, CARBON AND ALLOY  47 STEEL BARS, CARBON AND ALLOY	The second secon	A 22240		-0.	To the W	A		CAL 30 MISIS
48 STEEL SHEETS AND STRIPS, CARBON AND ALLOY	57- 107	A- 22241 A- 22242	*	7	•			LIST OF DRAWINGS.
TANT STEEL CARRON AND WILDER	57- 108	The second secon						MAY 1, 1929 CLASS DIVISION DRAWING FILE
51	-	A- 22244		4.0		480 M		REVISIONS 51 13. 27
52		A- 22245 A- 22246				- 3 (000)		SYMBOL
53		A- 22247		1. 1. 1. 1. 1.				
55	CONTRACTOR PROPERTY AND ADDRESS OF THE PARTY A	A- 22248		4 44	Programme and the			DETSMAN TRACER L'OG DETSMAN
56 -		A- 22249 A- 22250	10					CHECKER CHECKER CHIEF DETSMAN
57	- C - C - C - C - C - C - C - C - C - C	A- 22251	A. (0		Massian 4			CHECKER CHECKER CHIEF DETSMAN
59 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7		A- 22252			1 8.			SUBMITTED -
60	1	A- 22253	1			-		DRG. PERTAINS TO CAPT ORD. DEPT. U.S.A.
6/				19TO BOULE		S/ (		EXAMINED:-
63		7						CAPT. ORD. DEPT. U.S.A.
64				-	And the second			APPROVED:-
65				ا الماري المستار		¥ min		MAJOR ORD. DEPT. U.S.A
[66]								D SPRINGFIELD ARMORY
The state of the s			( -	. 49		1	The state of the s	

1				· 4/ST	OF DRAV	VINGS							
	1. , 2	3 .	4	.5	6	7	-8-	9	1 10	1 //		1 (2	- '*
	LIST OF GENERAL DRAWING	5			LIS	T OF COL	MPONEN	T AND ALL	THORIZE	1000	1 /2	. 13	14-
A.		r				1	J. 5/42/07	אר שאויך	HURIZED	ASSEME	BLY DRAW	INGS	
NUMBE	TITLE OF DRAWINGS	DRAWING NUMBER	REVISION	A-SIZE	REVISION	A-SIZE	REVISION	B-SIZE		C-SIZE		D-SIZE	· · · · · · · · · · · · · · · · · · ·
/	GENERAL DRAWINGS			A 13154		A-153124	N Z VISION		REVISION	C SIZE	REVISION		REVISION
2	LIST OF DRAWINGS AND SPECIFICATIONS	51-13-27 51-13-28		A /3/55		A 153125		B 8809 B 19626				D8769 D8770	1
3	SECTIONAL VIEWS	51-13-20		A 13157 A 13158				B19627				20110	41
5.	RIGHT SIDE/	51-13-30-	u.	A 13159	-	A 153 152		B 19628		C 0.050		0 23300	
	LEFT SIDE	51-13-31		A 13160		A 153 153.		B19630		C.9068		D3547Q	
8	PLAN VIEW LIST OF PARTS	B 147137	,	A 13162 A 13166		A153.154 A153.155	^	819631		C9071		0.35531	
	LIST OF PARTS	B 147137A				77700700		B 147381 B 19633		C 9078		0 35373	
9	LIST OF PARTS	B147137B B147137C		A 13700				819634		C 9076		D 35373A	
2	LIST OF PARTS	8/47/370		A 22200 A 22202			- 1.	B 19636		C 9077		035423	
3				A 22207		40 60 2		B19639		C 9078	-1.		
7				A 22208 A 22209				B19643		C.9090	A Property		
_	LIST OF AUTHORIZED ASSEMBLIES	3147138	*	A 22210				B19644 B19645		22	2.0.000	Cap.	
7	LIST OF AUTHORIZED ASSEMBLIES	B147138A		A22210A				B 19646				•	
_	LIST OF AUTHORIZED ASSEMBLIES	B147138B B147138C	· · ·	A 22212 A 22213	1	, Z**		819649		C 9096			
_	LIST OF AUTHORIZED ASSEMBLIES	B1471380		A 22214		٠ مناسسة	•	B19650 B19652		C 64064 C 64073	1 1		Sentill Sent
1				A 22215				B19653		C 6:4074			
3				A 22216 A 22217		-2, 3		819654		;- »; · · .			
2				A 22218	45 10		The Part of the Control of the Contr	B19658 B19659		C 6 4 0 7 6			7.4
5	GUARD, TRIGGER, FINDING DIAGRAM	08771		A.22219				B19660		C 64078			0
7	A THOULKY TINDING PINGKAIN	00111		A 222223				819662					
1	2 1 1			A 22224				819663-+ 819664		·			
1	CREW, MACHINE, STEEL, FLATHEAD, NC-2.			A 22225			4	0,004		C.64081	1408	1	
		BCKXZ		A 22226 -	7.			0.000		C 64296		DESARY	
		~,	78	A 22228	45.00			B 19676		C 64205			
2				A 22229	4.			B19680		C64206 C64208			
				A 22231				819681	121 1997	C64209			
				A 22232				B 19682 B 19684		C64231	0.0		C VELLEY!
				A 22233	,			819695		C 64231A	10		
				A 22234 A 22235	1 1 1			819697			The second		
			4	À 22235				8147130	The state of the s	C113685	- 1		KIND OF B
1				A 22237						C113686 C113695			, se
				A 22238 A 22239	> ;	. + 0.001.0, 0							
	PACKING AND MARKING DRAWINGS			A22240	-						-,		
2	OV DACUME LICTOR COMMISSION	49-1-7/		A22241									
	,	49-1-71A		A 22242 -	\$			RIOCAC					
				A 22244				B19696 .					
-			* * *		USPRAL DE L		1	3 /47323				** (**)	
-			# # .				1	3.147327					31
× 1				A 22248	**************************************				7				
-				A 22249	- A		· E	3147798				****	
1				A 153167 A 22251									
			000	A 22253									
0				A 152754			3 1 2					7	
			The state of the s	A 152778 A 163397									7.1
			1 .	A163398			, ·						
				A/53084								1	
		1,4		4/53/28				100			100	er, 01	
		4.	/	4/53/30	1	7 40 14							
		1 1/2		1/53/31	*		1	1 1	1	11		-) - ;	Tito t
				153/32			- 1 E	1 1				1/2-	19 / Land
ER	SEDES OLD TRACING 51-13-27 UNDER REV	ISION DATA	00 400	1 1000	The said to	174.		1	- 1	7:11	19:00	1	71 7
1	The second secon	SION WAIE	OF JUNE	1,1936	in the said	· · · · · · · · · · · · · · · · · · ·	sa dist	E.1 .7 .	4-27	1.1.1.	7 7 TV	AND THE PA	(4)

De la	2	. 3	40
LINE NUMBE	TITLE OF SPECIFICATIONS	SPECIFICATION NUMBER	
1	MANUFACTORE AND INSPECTION OF SHALL INSPECTION		1 4
2		32-2-1	
3	THE ONE ACCESSORIES	1154 50 0 1	
4	METALS, GENERAL SPECIFICATION FOR INSPECTION OF	U.S.A.52-0-1	
5	SECTIONS FOR MADVING SUIDIENTS		
6	D'LLL, CARDOW, AND ALTOY BADE.	U.S.A.100-2	
7	BRONZE, MANGANESE, BARS, FORGINGS, PLATES,	U.S.A.57-107	
٧.	PIOS AND SHAPES .		
9	STEEL, CARBON AND ALLOY; SHEETS AND STRIPS	FED. QQ-8-721	
10	STEEL, SPECIAL (CORROSION-RESISTING BARS,	U.S.A. 57-136	
11	RODS AND SHAPES.)		
12.	STEEL, SPECIAL (STRIP)	5X5-116	
13	STEEL SPRING TEMPERED, STRIP (WD 1095)	SXS-74	
14	STEEL, WIRE, MUSIC SPRING (WD 1095)	U.S.A 57-136-2	4 mms (1990)
15	STEELS BARREY FOR STEEL	U.S.A. 48-18	42
16	DANKLE II UK SMAII ADMS	U.S.A.57-107-25	W0 7540 A
17	WOOD, BLACK WALNUT FOR SMALL ARMS	U.S.A. 82-11	
	COMPOUND, CHINAWOOD OIL BASE	SX5-119	
8	OVL , LINSEED RAW	FED.JU-0-336	
9	PHENOLIC, SHAPES, MOULDED	5X5-103 (REV.2)	
0	STEEL, SPECIAL (CARBON, BARS, RODS AND SHAPES)	SX5-130	1


	LIST OF DRAWINGS & SPECIFICATIONS
그 마다 마루 마다 내용 사람들이 보고 🕶 그리고 그 그리고 그리고 있다면 하셨다. 🗓	PIFIE ALITOMATIC CAL 30
	RIFLE AUTOMATIC, CAL. 30
	BROWNING M1918
	SHOWING REVISIONS IN EFFECT ON ,
	MAY 1, 1929 CLASS DIVISION DRAWING FILE
	REVISIONS 51 12 27
11 12-15-43	1 6-1-36 6 12-27-40
12 4-15-44	2 11-15-37 7 10-10-41 SYMBOL 1
	3 4-15-38 8 1-7-42
	4 8-2-40 9 3-3-42 0
	5 9-11-40. 10 4-25-42 OFTSMAN TRACER LOG DETSMAN
	DRG. PERTAINS TO E.L.J. SERT. 07.9.0.
	CHECKER S.A CHIEF DETSMAM
	L. S. 6. 00 Put 4800
	SUBMITTED
	wy ( )
	CAPTI ORO DEPT. U.S. A.
	EXAMINED!
	575 ce
	APPROVED BY ORDER OF THE
~	CHIEF OF DRONANCE!
	MAR QUE
	LT. COL, ORD. GEPT. U.S.A.
the state of the s	ORDNANOE DEPT.U.S.A.
1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-	THE THE PARTY OF T
to the second lead of a suite	in the second of

		1 1							100	1	S.Die Ord	-	- Carrier					1				
MAME OF PART	1 (201 /	2	3 4	, 5	6	7	8	9 10	11 12	- /3	COL	1	2	3	4	5		7	A	To In	W 1 /2 T	* ************************************
10   10   10   10   10   10   10   10	LINE NUMBER	PIECE MARK	DRAWING NUMBER	NUMBER PER UNIT ASSEMBLY		MATERIAL	MATERIAL SPECIFICATION NUMBER PER	A BASIC SPARE PARTS TOR ORD MAINT.CO. PER UNIT ASSEMBLY	REPLACEMENTS PER O UNIT WEIGHT IN LB. D=LESS THAN OI	REMARKS	LINE NUMBER .	SYMBOL	PIECE MARK	DRAWING NUMBER.	FINDING DIAGRAM \$	NUMBER PER UNIT ASSEMBLY	NAME OF PART	MATERIAL	WITERIAL SPECIFICATION O	PHIFLE ASSEMBLY BASIC SPAPE PARTS FOR ORD MAINT CO PERUNIT ASSEMBLY	MEPLKEMENTS PER MOUNIT ASSEMBLIES INIT WEIGHT IN LB D=LESS THAN OI	REMARKS
\$\frac{\text{\$\subset\$}{\text{\$\subset\$}}\$ \frac{\text{\$\subset\$}}{\text{\$\subset\$}}\$ \frac{\text{\$\subset\$}}{\	5 EEB 11 6 MBB 107 7 PIB 1527 B GAK 283 9 QAP 1380 10 QAP 1381 11 12 EEB 11 13 MBB 107 14 MBB 108 15 XIB 4 16 17 RXB 3 18 POB 9 19 LBL 96 20 QAP 1376 21 22 POB 9 23 VOB 162 24 PIB 1526 25 PIB 1526 26 PIB 1526 25 PIB 1526 26 PIB 1527 27 IJB 22 28 MCB 821 29 30 31 YWC 4 32 PFC 47 33 AAS 258 34 35 PFC 47 33 AAS 258 34 35 PFC 47 36 XEC 41 37 GGC 22	7	D - 8769  D - 23300 D - 8769  B - 19634 D - 8769  A - 22223 D - 8769  A - 22230 D - 8769  A - 22231 D - 8769  A - 22231 D - 8769  B - 19630 D - 8769  B - 19630 D - 8769  B - 19631 B - 19698  B - 19632 51-13-28  B - 19695  C - 9068 B - 19695  A - 22226 B - 19695  A - 22226 B - 19695  A - 22212 5/-13-28  B - 19633 B - 19682  A - 22213 B - 19683  B - 19634 D - 8769  A - 22214 5/-13-28  A - 22215 C - 9096  B - 19635 B - 19676  A - 22208 B - 19676  A - 22217 5/-13-28		BARREL (ASSEMBLY)  BARREL  BASE, FRONT SIGHT  BRACKET, GAS CYLINDER TUBE  KEY, FRONT SIGHT  PIN, FRONT SIGHT KEY  PIN, GAS CYLINDER TUBE BRACKET  BARREL  BASE, FRONT SIGHT  BASE, MAGAZINE  BLADE, FRONT SIGHT  BOLT (ASSEMBLY  BOLT  LOCK; BOLT  PIN, BOLT LOCK  BRACKET, BUTT STOCK  BRACKET, BUTT SWIVEL  BRACKET, FRONT SWIVEL  BRACKET, FRONT SWIVEL  BRACKET, GAS CYLINDER TUBE  BUFFER  BUSHING, GAS PISTON  CARRIER, SEAR  STOP, CONNECTOR  CARRIER, SEAR  CATCH, MAGAZINE  CONE, BUFFER FRICTION	STEEL	W.D. 1120 W.D. 1120 W.D. 1120 W.D. 1095 W.D. 1120 W.D. 1035 W.D. 1035 W.D. 2340 W.D. 1095 W.D. 1095 W.D. 1095 W.D. 1020		3.85 3.65 .1 .04 .04 .04 .03 .03 .09 .08 .09 .08 .07	* * * * * * * * * *	76   77   78   79   78   79   78   79   78   79   79	BBL 198 BBL 199 BBL 200 BBL 200 BBL 199 FBS 263 AUS 14 LBL 96 LBL 97 LBL 96 LBL 96 LBL 97 LBL 96 LBL 96 LBL 97 LBL 96 LBL 97 LBL 96 LBL 97 LBL 96 LBL 96 LBL 97 LBL 96 LBL 96 LBL 96 LBL 97 LBL 96 LBL 96 LBL 96 LBL 97 LBL 96 LBL		B- 19646 B- 19647 B- 19647 A- 22244 A- 22244 A- 2225 B- 19649 B- 19650 A- 22226 A- 22226 A- 22226 A- 22228 A- 22229 B- 19652 A- 22230 A- 22230 A- 22232 B- 19652 A- 22232 A- 22234 A- 22234 A- 22234 A- 22234 A- 22234 A- 22234 A- 22236	51-13-29 B-19648 B-19648 B-19648 B-19648 B-19695 D-8771 51-13-28 51-13-28 51-13-28 D-8770 B-19695 51-13-29 D-8769 D-8769 D-8769 B-19679 B-19679 B-19679 B-19679 B-19679 B-19679 B-19679 B-19679		LINK, BOLT LINK, GUN SLING  LINK, GUN SLING SWIVEL (ASSEMBL LINK, GUN SLING  SCREW, BRACKET SWIVEL SWIVEL, GUN SLING  LOCK, BOLT LOCK, EJECTOR LOCK, GAS CYLTNDER  PIN, BOLT LOCK PIN, BOLT LOCK PIN, BUTT PLATE TRAP AXIS PIN, CHANGE LEVER STOP SPRING RETA PIN, CONNECTOR PIN, FIRING PIN, FRONT SIGHT KEY PIN, GAS CYLINDER TUBE BRACKET PIN, GAS CYLINDER TUBE RETAINING PIN, GAS PLSTON RETAINING PIN, HAMMER PIN, MAGAZINE CATCH PIN, OPERATING HANDLE PLUNGER	STEEL	WD 1020 WD 1020 WD 1020 WD 1020 WD 1020 WD 1095	/ / / / / / / / / / / / / / / / / / /		
1	9 FDC 28 10 MBC 27 41 42 43 WAE 10 44 HCE 3 45 ABE 10 46 47 48 VCF 55 49 AFF 1 50 51 LYF 2 52 HCE 3 53 AFF 1 54 55 76 GBG 79 7 JAG 295 9 JAG 296 6 BBH 125 61 62 63 WCH 13 66 AAH 292 67 BBH 125 68 FZH 4 69 70 71 GAK 283		A-222/8 5/-/3-28 B-19638 5/-/3-28 B-19639 D-877/ A-222/9 C-9095 C-9090 5/-/3-29 B-1964/ B-19698 D-2330/ C-9095 D-2330/ C-9095 D-2330/ C-9095 D-2330/ C-9095  A-222/9 C-9095 D-2330/ C-9095 B-19677 B-19645 B-19677		CUP, BUFFER FRICTION  CYLINDER, GAS  EJECTOR  ESCUTCHEON, FOREARM  EXTRACTOR  FOLLOWER, MAGAZINE  FOREARM  FOREARM (ASSEMBLY)  ESCUTCHEON, FOREARM  FOREARM  GUARD, TRIGGER  GUIDE, RECOIL SPRING  GUIDE, RECOIL SPRING (ASSEMBLY)  GUIDE, RECOIL SPRING GUIDE  HAMMER  HANDLE, OPERATING  HEAD, RECOIL SPRING GUIDE  HIPER, FLASH	MANGANESE L STEEL  STEEL  STEEL  STEEL  WOOD  STEEL  STEEL	BROWZ E HARD 4 WD 2340 / WD 1095 / WD 1095 / WD 1095 / WD 1095 / WD 1020 / WD 1020 / WD 2340 / WD 1095 /		Δ .04 .11 .04 Δ .02 .03 .72 .72 .72 .73 .07 .07 .07	*	112 0 113 114 X 115 0 116 P 117 118 0 119 120 F 121 G	AP 1388 AP 1389 AS 473 AP 1389		A - 22238 B - 19680 A - 22239 B - 19659 A - 22239 C - 9073	B - 19680 B - 19680 B - 19680 C - 9096	/ /	PIN, TRIGGER GUARD RETAINING (ASSEMDIN, TRIGGER GUARD RETAINING SPRING, TRIGGER GUARD RETAINING PIN, TRIGGER GUARD RETAINING PIN, TRIGGER GUARD RETAINING PISTON; GAS	STEEL  STEEL  STEEL  STEEL  STEEL	WD 1095 WD 1095 WD 1095 WD 1020 BRC	DWN/NG A CAL. 3C LIST.  VI, 1929	CLASS DIVIS  CLASS DIVIS  OF PART  CLASS DIVIS  SI  OFTSMAN TB  SI  CHECKER CHE  CLASS DIVIS  CHECKER CHE  CLASS DIVIS  CHECKER CHE  CLASS DIVIS  CHECKER CHE  CLASS DIVIS  CAPT.  EXAMINED:-	ORD. DEPT. U.S.A.


\* WILL NOT BE ISSUED FOR FIELD MAINTENANCE EXCEPT AS COMPONENTS OF AUTHORIZED ASSEMBLIES.


D SPRINGFIELD ARMORY,


3	+	_5	6	7	8	9 10	11 1	2	1/3	COL	1	2	. 3	4	5	6	7	8	9 10	11 12	-/3
	PESSENDING NUMBE.	NUMBER PER UNIT ASSEMBLY	NAME OF PART	MATERIAL	MATERIAL SPECIFICATIC	NUMBER PER RIFLE ASSEMBLY ASSIC SPARE PART DER ORD. MAINT.CO DER UNIT ASSEMBL	REPLACEMENTS PL S 100 UNIT ASSEMBLIA UNIT WEIGHT IN LB	D=LESS THAN .OI	REMARKS	LINE NUMBER .	SYMBOL	PIECE MARK	DRAWING NUMBER	FINDING DIAGRAM	NUMBER PER UNIT ASSEMBLY	NAME OF PART	MATERIAL	MATERIAL SPECIFICATION	AIFLE ASSEMBLY  BASIC SPAPE PARTS  PERUNIT ASSEMBLY  O FOR OPD MAINT CO	MEPLA JOGUMI WIT WER	REMARKS
	B - 19696 A - 22227 B - 19696 C - 9074 B - 19696 A - 22248 B - 19696 A - 22253 B - 19696 B - 19626 B - 19696	/ /	PLATE, BUTT (ASSEMBLY)  PIN, BUTT PLATE TRAP AXIS  PLATE, BUTT  SCREW, BUTT PLATE TRAP SPRING  SPRING, BUTT PLATE TRAP  TRAP, BUTT PLATE	STEEL V	N.D. 1095 N.D. 1020 N.D. 1120 N.D. 1095 N.D. 1020			.27 * * * * *	70 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	77 0 78 0 79 7 80	MS 259 JDS 670 JDS 671 AJS 13	- X	A - 22208 B A - 22209 B B - 19663 D B - 19664 D A - 22210 B	9- 19681 0- 8770 0- 8770	/ - / / / /	STOP, CONNECTOR  STOP, SEAR  SUPPORT, BOLT - LEFT  SUPPORT, BOLT - RIGHT  SWIVEL, BRACKET	STEEL STEEL STEEL STEEL STEEL	WD 1/20 WD 1095 WD 2340 WD 2340 WD 1/20	1 1 2	Δ * Δ * .06 * .06 *	
	B- 19653 D- 8770 A- 22240 C- 9096 A- 22241 51-13-29 E- 274 D- 8770	1 1 1	PLATE, TOP  PLUG, GAS PISTON  PLUNGER, OPERATING HANDLE  RECEIVER	STEEL W	N.D. 1020 N.D. 1120 N.D. 1095 N.D. 2340	7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7		06 *		82 F 83 L 84 F 85 A 86 A	F85 263 AJS /3		A- 22244 B	- 19648 - 19682 - 19682	1 1 2 .1 1	SWIVEL, BUTT (ASSEMBLY)  BRACKET, BUTT SWIVEL  LINK, GUN SLING  SCREW, BRACKET SWIVEL  SWIVEL, BRACKET  SWIVEL, GUN SLING	STEEL STEEL STEEL STEEL	WD 1020 WD 1020 WD 1120 WD 1120 WD 1020	/	.09 * * *	
	D- 8770  A-22228 D- 8770  B-19653 D- 8770  E- 274 D- 8770  A-22243 D- 8770  A-22200 D- 8770  A-22207 D- 8770  B-19663 D- 8770  B-19664 D- 8770	1 1 6 1 1 1 1 1 1	RECEIVER (ASSEMBLY)  PIN, CHANGE LEVER STOP SPRING RETAINING  PLATE, TOP  RECEIVER  RIVET, BOLT SUPPORT:  SPRING, CHANGE LEVER STOP  STOP, CHANGE LEVER  SUPPORT, BOLT-LEFT  SUPPORT, BOLT-RIGHT	STEEL W.	ID 1095 ID 1020 ID 2340 ID 1020 ISIC WIRE ID 1120 ID 2340 ID 2340	7		69 * * * * *			PIB-1528 BBL . 199 FBS 263 4JS 13 AJS 14		B- 19683 A- 22213 B B- 19647 B A- 22244 B A- 22210 B A- 22211 B	- 19648 - 19683./ - 19683 - 19648	1 2 1	SWIVEL, -FRONT (ASSEMBLY)  BRACKET, FRONT SWIVEL  LINK, GUN SLING  SCREW, BRACKET SWIVEL  SWIVEL, BRACKET  SWIVEL, GUN SLING  SWIVEL, GUN SLING	STEEL STEEL STEEL STEEL STEEL	WD 1020 WD 1020 WD 1120 WD 1120 WD 1020	2 .	* * * * * * * * * * * * * * * * * * *	
**	B- 19628 D- 8770 A- 22242 D- 8771 A- 22243 D- 8770	16	TUBE, BUFFER  RELEASE, MAGAZINE  RIVET, BOLT SUPPORT	STEEL W	(D 1/20 (D 1/20	1 6	-	02 *	F	99 C 100 101 C	CBT 9 VAP 1379	Les Hiller	B- 19626 B B- 19627 B B- 19684 A- 22229 B	- 19684 - 19684	1 1	TRAP, BUTT PLATE  TRIGGER  TRIGGER (ASSEMBLY)  PIN, CONNECTOR	STEEL STEEL	WQ 1020 WD 1020	1	.03 *	
4	A - 22244 B- 19682 A - 22245 51-13-28 A - 22246 51-13-28 A - 22248 B- 19696 A - 22247 51-13-28 A - 22249 51-13-28 A - 22249 51-13-28 B- 19654 D- 8771	2	SCREW, BRACKET SWIVEL  SCREW, BUTT PLATE, LONG  SCREW, BUTT PLATE, SHORT  SCREW, BUTT PLATE TRAP SPRING  SCREW, BUTT SWIVEL BRACKET  SCREW, FOREARM - LONG  SCREW, FOREARM - SHORT  SEAR	STEEL WOOD STEEL WOOD STEEL WOOD STEEL WOOD STEEL W. STEEL W. STEEL W.	D. 1120 D. 1120 D. 1120 D. 1120 D. 1120 D. 1120 D. 1120 D. 1120	4 1 1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Δ Δ Δ	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	!	104 105 G 106 G 107 G 108 109	18T 424 18T 426		B - 19627 B - 19628 D - C - 9078 B - 19629 51	- 8770 1-13-28 - 19698	1	TRIGGER  TUBE, BUFFER  TUBE, GAS CYLINDER  TUBE, MAGAZINE  WASHER, BUTT STOCK BOLT	STEEL STEEL STEEL STEEL	WD 1020 WD 1035 WD 2340 WD 1035	/	.3 * /./ .33	-4
	C - 9076 C - 9096 C - 9096 A - 222/5 C - 9096 A - 22233 C - 9096 C - 9073 C - 9096 A - 22240 C - 9096 C - 9076 C - 9096	/ / · · · · · · · · · · · · · · · · · ·	SLIDE  SLIDE (ASSEMBLY)  BUSHING, GAS PISTON  PIN, GAS PISTON RETAINING  PISTON, GAS  PLUG, GAS PISTON  SLIDE	STEEL W. STEEL W. STEEL W. STEEL W.	D. 1095 D. 1120 D. 2340 D. 1120 D. 2340	/		99 *		112											4.
	A - 22251 5/-/3 - 29 A - 22252 5/-/3 - 28 A - 22253 B - 19696 B - 19660 B - 1968/ B - 1968/	1	SPRING, BOLT GUIDE  SPRING, BUFFER  SPRING, BUTT PLATE TRAP  SPRING, CHANGE LEVER  SPRING, CHANGE LEVER (ASSEMBLY)	STEEL WAS	SIC WIRE D. 1085 D. 1095 D. 1095	/ / / !	Δ	*	The second of	120				H-1				BRO	NNING A	AUTOMAT	TIC RIFLE
- 4	B- 19660 B- 19681 A- 22209 B- 19681 B- 19697 A- 22200 B- 19697 A- 22207 B-19697	/ /	SPRING, CHANGE LEVER (ASSEMBLY)  SPRING, CHANGE LEVER  SPRING, CHANGE LEVER STOP (ASSEMBLY)  SPRING, CHANGE LEVER STOP  STOP, CHANGE LEVER	STEEL WAS	D. 1095 D. 1095 SIC WIRE D. 1120	1	Δ	*		-		4						MAY	CAL30	MISIA OF PART	S ION DRAWING FILE
	A-22200 B-19697 A-22201 D-8771 A-22203 D-8771 A-22202 51-13-29 B-19658 B-19679 C-9077 B-19698	· / / / / / / / / / / / / / / / / / / /	SPRING, CHANGE LEVER STOP  SPRING, COUNTER RECOIL  SPRING, EJECTOR LOCK  SPRING, EXTRACTOR  SPRING, GAS CYLINDER TUBE RETAINING PIN  SPRING, MAGAZINE	STEEL MUS STEEL MUS STEEL MUS	SIC WIRE SIC WIRE SIC WIRE SIC WIRE 0. 1095	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	· A . O	*											Maria Language	DETSMAN TRA	
• •	A - 22204 D - 877/ A - 22205 5/-/3-29 B - 22206 5/-/3-28 B - 19662 D - 877/ B - 19659 B - 19680 D - 23304 5/-/3-28	/ +	SPRING, MAGAZINE CATCH  SPRING, OPERATING HANDLE PLUNGER  SPRING, RECOIL  SPRING, SEAR  SPRING, TRIGGER GUARD RETAINING PIN  STOCK, BUTT	STEEL MUS STEEL WIL STEEL WIL	SIC WIRE SIC WIRE SIC WIRE D. 1095 D. 1095 TK WALNUT	1 1 1 1 1 1 1 1 1 1 1	.0.	94 *				.)-						DR6. PE	RTAINS TO	SUBMITTED - CAPT. EXAMINED:-	ORD DERT U.S.A
VOT BE	155UED FOR FI	ELD M	STOP, CHANGE LEVER VAINTENANCE EXCEPT AS C	STEEL WI	0. 1120 NTS 01	F AUTHO	RIZED	* 2 ASS	SEMBLIES.			•					***	D			ORD DEPT. U.S.A.





-BLADE-B147381 BRACKET-BI9634 -PIN-A22230 PIN-A22231 -KEY-A22223 PISTON-C9073--HOER-DI9644 BASE-B19630-BODY-C64296 LOCK-B19649 -PLUG-A22240




























SUPERSEDES OLD TRACING 51-13-31 UNDER REVISION DATE OF JUNE 1,1936.


























DRAVVING 7 FILE

DIVISION 13

CLASS 51

